

KENT WEXFORD BUS POLES



KENT WEXFORD BUS POLE

Specify:


Kent Wexford Bus Pole KWBP3000/4; 3000mm overall height; Grade 316L Stainless Steel; Bright Satin Finish; Cast in 300mm below ground

The Kent Stainless Wexford Bus Pole is a 3000mm high, low maintenance and robust Bus Stop Pole. Manufactured from strong 60mm diameter x 4mm thick, grade 316L stainless steel, and finished as standard with Kent's Bright Satin Finish, it requires almost no cleaning year on year. Included as standard is a preprinted 620mm x 450mm flag and a matching finial to show off your company's logo in stainless steel. An optional timetable case can be included – typically 915mm x 220mm single sided, but double sided versions available and any customised dimensions available.

Features

- → Robust 60mm x 4mm tube
- → Customised Top Finial as standard
- → Grade 316L Stainless Steel
- → Kent Bright Satin Finish for low maintenance







KENT WEXFORD BUS POLE

Pole Instalation

Visible Flange:

- Ensure that the surface to which the pole is mounted is to sufficiently strong.
- Position the pole in the correct location. Mark the holes and drill into the surface.
- Place the pole directly over the holes and then fix the pole to the surface using M12 bolts.
- Note that fixings need to be fully embedded in concrete not just the paver blocks
- Always consult with engineers pecifications for dimensions of concrete pad.


Buried Flange:

- Cast foundations Always consult with engineers specifications we recommend a foundation size of 350mm x 500mm x 600mm deep.
- Once concrete is set follow steps 1-3 as per flange detail above.
- Replace slabs to finish of pole


Cast In:

- Cast foundations Always consult with engineers specifications we recommend a foundation size of 350mm x 500mm x 600mm deep.
- Position your pole in the correct position ensuring correct height and then prop the stand securely.
- Fill the hole with concrete up to the level of the underside of the pavement ensuring a good smooth surface finish.
- Remove props, replace the paving slabs, and ensure that they are well bedded in.





Product Options:



Bríght Satín Satín Fínísh 320 grít Shot Peened Bright Peened Cold Rolled Electro Polished

Specify:

Kent Wexford Bus Pole KWBP3000/4; 3000mm overall height; Grade 316L Stainless Steel; Bright Satin Finish; Cast in 300mm below ground















Custom Finials to match your logo



OPTIONAL TIME TABLE CASE







KENT WEXFORD BUS POLE

Why choose stainlessteel bus stop poles?

Stand out from the crowd Easy to maintain Stain and corrosion resistant Strength 100 percent recyclable Eco Friendly

Overview

Nearly everyone has heard of stainless steel or has used it in some way, shape or form throughout their life, but not everyone knows what it is, how it's made, how it's used and the advantages of choosing it over other types of materials. There are many unique benefits associated with using stainless steel in a wide variety of projects and applications. Unfortunately, many contractors and designers will overlook these advantages due to the higher cost of stainless steel compared to other materials. However, if you are looking for a material that will increase the life of your project, stainless steel will ultimately be the best value in the long run.



Maintenance

Stainless Steel:

Clean the stainless steel components using warm water with a mild detergent with a non-abrasive cloth or sponge. Heavier stains may require the use of a nylon-scouring pad or a stainless steel cleaner. To remove paint or graffiti use a cloth and Alkaline or solvent paint strippers according to type of paint. In the case of a bead blasted finish, where abrasive cleaning is required, always use a random circular rubbing action with a cloth. In the case of brushed finishes the surface consists of uniform fine 'scratches' running in one direction so where abrasive cleaning is required always use a straight back and forward rubbing action in the direction of the grain using soap and warm water. Rust spots or 'tea stains' can occur on the surface of the material, these are normally caused by contamination from ordinary mild steel, particulary inareas where construction work has been undertaken. Such stains can be removed using Rust Remover 410. In cases where the surface is severely stained because of severe environmental conditions or scratched due to misuse, it may still be possible to restore the original finishusing chemicals such as Oxalic Acid solution. There are many stainless steel polishes available to enhance the surface finish. We recommend Mister Stainless Ltd. as a provider for stainless steel cleaning products.



About Us

Kent Stainless is currently the no.1 largest fabricator of stainless drainage in Ireland and the fourth largest in the British Isles. We have also secured the largest project awarded in Ireland for stainless steel street furniture (Platform Furniture to Railway Procurement Agency for Luas Light Rail Network) as well as numerous prestigious UK contracts including Transport For London and Wembley Stadium.

Kent Stainless are certified to quality standard ISO9001:2008, to environmental standard ISO14000, are members of FACTA, and are a Link-Up supplier (number 25324). At the time of writing we are working towards certification of safety standard ISO18001.

Related Products





Kent Stainless Ltd

Ardcavan, Wexford, Ireland

 TEL NO
 + 353 53 914 3216

 UK FREEPHONE
 0800 376 8377

 FAX
 + 353 53 914 1802

WEB www.kentstainless.com
EMAIL info@kentstainless.com